Stats of the State of New Mexico

New Mexico Birth Data 2013	STATE	RANK*	U.S.**
Percent of Births to Unmarried Mothers (2013) 1	52.0	3 rd	40.6
Cesarean Delivery Rate (2013)	24.3	48 th	32.7
Preterm Birth Rate (2013)	11.6	20 th (tie)	11.4
Teen Birth Rate (2012) +	47.5	1 st	29.4
Low Birthweight Rate (2013) ¹	8.9	8 th	8.0

¹ Unpublished data.

‡Number of live births per 1,000 females aged 15-19.

U.S. LEADING CAUSES	TOTAL	DEATH	STATE	U.S.
OF DEATH, 2012	DEATHS	RATE***	RANK*	RATE**
1. <u>Heart Disease</u>	3,352	147.8	38 th	170.5
2. <u>Cancer</u>	3,462	148.1	47 th	166.5
3. Chronic Lower Respiratory <u>Diseases</u>	965	42.5	30 th	41.5
4. <u>Stroke</u>	677	30.3	45 th	36.9
5. Accidents	1,351	65.0	2 nd	39.1
6. <u>Alzheimer's Disease</u>	373	17.1	43 rd (tie)	23.8
7. <u>Diabetes</u>	652	28.3	4 th	21.2
8. <u>Influenza/Pneumonia</u>	281	12.5	35 th	14.4
9. <u>Kidney Disease</u>	285	12.6	28 th	13.1
10. <u>Suicide</u>	442	21.3	4 th	12.6

Stats of the State of New Mexico

Other New Mexico Mortality Data (2012)

	STATE DEATHS	STATE RATE**	U.S. DEATHS	U.S. RATE***
<u>Firearm Deaths</u>	323	15.5	33,563	10.5
<u>Homicide</u>	133	6.6	16,688	5.4
<u>Drug Poisoning Deaths</u>	492	24.7	41,502	13.1

Other New Mexico Data

	STATE	U.S.
Infant Mortality Rate (2012, deaths per 1,000 live births)	6.87	5.98
People Without Health Insurance Percentage (2013)	N/A	14.4
Marriage Rate (2011)	8	6.8
Divorce Rate (2011)	3.3	3.6†

^{*} Rankings are from highest to lowest.

^{**} Rates for the U.S. include the District of Columbia and (for births) U.S. territories. Refer to notes in publication tables for more detail.

^{***} Death rates are age-adjusted. Refer to source notes below for more detail.

[†]Excludes data for California, Georgia, Hawaii, Indiana, Louisiana, and Minnesota.

n/a - Data not available

Stats of the State of New Mexico

Sources:

Health Insurance data come from Health Insurance Coverage: Early Release of Estimates From the National Health Interview Survey, 2013; 2013 birth data come from National Vital Statistics Reports, Vol. 63, No. 2, Supplemental Tables; leading cause of death data, including firearm, homicide, and drug poisoning mortality data, and infant mortality data come from National Vital Statistics Reports, Vol. 63, No. 9; and rankings and rates are based on 2012 age-adjusted death rates. States are categorized from highest rate to lowest rate. Although adjusted for differences in age-distribution and population size, rankings by state do not take into account other state specific population characteristics that may affect the level of mortality. When the number of deaths is small, rankings by state may be unreliable due to instability in death rates. For more information on age-adjustment, refer to this report. Marriage and divorce data come from unpublished tables from the Division of Vital Statistics, National Center for Health Statistics, CDC.